




AUTHENTIC PERFORMANCE

MOPAR® REMANUFACTURED
CV AXLE
APPLICATION GUIDE



DODGE



Jeep

SRT

MOPAR® REMANUFACTURED CV AXLE APPLICATION GUIDE



Keep your customers' Chrysler, Jeep®, Dodge or Ram vehicles authentic with Mopar® Remanufactured CV Axle Assemblies.

The Mopar® Remanufacturing Process returns the part to O.E. specifications to ensure the highest quality and performance, and we back our quality with a nationwide 12-month warranty. Plus, all Mopar remanufactured parts are competitively priced, providing your customers with authentic quality at a great price.

The Mopar Advantage

- All cores are screened, fully disassembled and cleaned thoroughly, retaining the integrity of subassemblies.
- Both inner and outer joint assemblies must pass functional tests for rational torque, rocking play and plunge effort.
- The final assembly must pass a functional “tuning” test for total play of less than two degrees. All 43 in-process tests meet the SAE Recommended Practice.

Important Note: Complete shaft types are interchangeable — components are not.

- Replacement shafts may be different from the shaft being removed due to part number consolidations. If there are visible differences, verification can be made by checking the following as being the same:
 - Overall length should be the same — compress shaft and measure end to end. Inner CV joint splines, diameter and contact surfaces should be the same for the areas that insert into the transmission.
 - Outer CV joint splines, diameter and contact surfaces should be the same for the areas that insert into the wheel hub.

MOPAR® REMANUFACTURED CV AXLE APPLICATION GUIDE



PASSENGER CARS

Model Year	Application	Engine/Trans.	Reman Part Number Left/Right Side	Note	Axle Boots (Left Side) Outer/Inner	Axle Boots (Right Side) Inner/Outer
2010–2008	PT Body w/ABS, Front	2.4L DOHC 16V Turbo	R4668937AC/ —	—	—	—
2008–2003	PT, P5 Body w/ABS	2.4L Turbo M/T	R5085060AD/R5085064AC	—	—	—
2006–2003	CS Body w/ABS	All	— /R4641970AD	—	—	—
	PT Body w/ABS	2.2L, 2.4L A/T	R5274711AE/ —	—	—	—
2006–2001	JR Body w/o ABS	4 Cyl. A/T	R2073679AC/R2073689AC	—	—	—
	JR Body w/ABS	4 Cyl. A/T	R2073677AC/R2073687AC	—	—	—
	JR Body w/o ABS*	6 Cyl.	R2073679AC/R2073689AC	—	—	—
	JR Body w/ABS*	6 Cyl.	R2073677AC/R2073687AC	—	—	—
	JR Body w/o ABS	4 Cyl. M/T	R2073679AC/R2073689AC	—	—	—
2005–2003	PL Body w/ABS	2.4L Turbo M/T	R5037623AA/R5037622AA	—	—	—
2005–2002	PL Body w/o ABS	1.6L, 2.0L M/T	R4668915AA/R4668914AA	—	—	—
2004–1998	LH Body w/ABS	All	R2073753AC/R2073763AC	—	—	R2826064/ —
2001–2000	PL Body w/wo ABS	3 Spd. A/T	R4668953AD/R2073380AC	—	—	—
2001–1993	LH Body w/o ABS	All	R2073756AC/R2073766AC	—	—	—
2000	JX Body w/wo ABS	All	R2073677AC/R2073687AC	—	—	—
2000–1998	JA Body w/ABS	All	R2073677AC/R2073687AC	—	—	R2826064/ —
2000–1995	JA Body w/o ABS	All	R2073677AC/R2073687AC	—	—	R2826064
1999–1998	PL Body w/wo ABS	M/T	R2073397AC	—	—	—
	PL Body w/wo ABS	A/T	R2073397AC/R2073386AC	—	—	—
	JX Body w/ABS	All	R2073677AC/R2073687AC	—	—	—
1997–1996	JX Body w/wo ABS	2.5L A/T	R2073684AC	—	R2826075/ —	R2826075
	JX Body w/ABS	2.0L, 2.4L M/T	—	—	R2826075/ —	R2826075
	JX Body w/ABS	2.5L A/T	R2073684AC	—	R2826075/ —	R2826075
	LH Body w/ABS	All	R2073759AC/R2073769AC	—	—	R2826064
1997–1995	JA Body w/ABS	All	R2073673AC/R2073683AC	—	—	R2826064

*For Stratus R/T applications, order 04578023AA.

MOPAR® REMANUFACTURED CV AXLE APPLICATION GUIDE



MINIVANS

Model Year	Application	Engine/Trans.	Reman Part Number Left/Right Side	Note	Axle Boots (Left Side) Outer/Inner	Axle Boots (Right Side) Inner/Outer
2010–2003	RS Body w/ABS	All	R2073659AC/R4641856AF	—	R2826064	—
2002–2001	RS Body	All	R2073659AC/R2073669AC	—	R2826064	—
2000–1996	NS Body w/wo ABS	All	R2073659AC/R2073669AC	—	R2826064	—
	NS Body w/ABS, Front AWD	All	R2073659AC	—	R2826064	—
	NS Body w/ABS, Rear AWD	All	—	—	R2826559/ R2826559	R2826559/ R2826559
1995–1991	AS Body w/o ABS	2.5L A/T	R2073656AC/R2073665AC	Int Hsg Round	—	—
				Trilobal	— /R2826559	R2826559
	AS Body w/wo ABS	2.5L M/T	R2073656AC/R2073665AC	GKN	— /R2826003	R2826003
				Int Hsg Round	—	—
	AS Body w/o ABS	3.0L, 3.3L, 3.8L w/ RSS	R2073656AC/R2073665AC	Trilobal	— /R2826559	R2826559
				Int Hsg Round	—	—
	AS Body w/o ABS	3.0L, 3.3L, 3.8L w/ ELSS	R2073656AC/R2073665AC	Trilobal	— /R2826559	R2826559
				Int Hsg Round	—	—
	AS Body w/ABS	3.0L, 3.3L, 3.8L w/ RSS	R2073656AC/R2073665AC	Trilobal	— /R2826559	R2826559/ —
				Int Hsg Round	—	—
AS Body w/ABS	3.0L, 3.3L, 3.8L w/ ELSS	R2073656AC/R2073665AC	Trilobal	— /R2826559	R2826559/ —	
			Int Hsg Round	—	—	
AS Body w/o ABS Front AWD	All	R2073656AC	—	— /R2826003	R2826003/ —	
AS Body w/ABS Front AWD	All	R2073656AC	—	R2826064/ —	— /R2826064	
AS Body w/wo ABS Rear AWD	All	—	—	R2826559/ R2826559	R2826559/ R2826559	
1990–1987	AS Body	A/T	R2073656AC/R2073665AC	—	—	—
	AS Body	M/T w/ ELSS	R2073656AC/R2073665AC*	—	—	—

*Intermediate shaft must be ordered separately.

Note: ELSS (Equal Length Shaft System); RSS (Regular Shaft System)

MOPAR® REMANUFACTURED CV AXLE APPLICATION GUIDE



JEEP®

Model Year	Application	Engine/Trans.	Reman Part Number Left/Right Side	Note	Axle Boots (Left Side) Outer/Inner	Axle Boots (Right Side) Inner/Outer
2007–2002	KJ Body	EKO All 3.7L 6-Cyl. Gas	R2111779AB/R2111778AB	—	—	—
2005–1999	WJ Body	w/o Vari-Lock	R2073987AC/R2073988AC	—	—	—
2004–1999	WJ, WG, W1 Bodies	Vari-Lock	R2073979AC/R2073989AC	—	—	—
1998–1992	ZJ, SJ, MJ, XJ, Z1, ZG Bodies	All	R2073977AC/R2073978AC	—	R2826003/ —	— /R2826003

TRUCKS

Model Year	Application	Engine/Trans.	Reman Part Number Left/Right Side	Note	Axle Boots (Left Side) Outer/Inner	Axle Boots (Right Side) Inner/Outer
2011–2006	DR, DS Bodies	All	R5170822AA/R5170822AA	—	—	—
2004–2001*	AN, DN Bodies	All	R2073992AC/R2073992AC	—	—	—
2001–2000	AN, DN Bodies	All	R2073973AC/R2073973AC	—	—	—

*For 2001 AN/DN, inspect the driveshaft being removed. If the part being removed is tagged as 52068701AC, use R2073973AB. If the part being removed is tagged as 52068701AD or 05072214AA, order R2073992AC.

